ISAFE MOBILE SMARTPHONE MINING IS540.M1



\$5,555.00 GST included

SKU: N/A | Categories: Intrinsically Safe, Smartphone |



GALLERY IMAGES









PRODUCT DESCRIPTION

The 5G smartphone with a clear 6-inch full HD display is equipped with a high-end chipset, supports a wide range of frequency bands and offers the highest image quality through the 48 MP main camera. The highquality processor ensures fast data processing for the most demanding industrial applications such as predictive maintenance. The 16-pin ISM interface provides a secure connection for approved accessories.

Advantages

- Amplified loudspeaker for noisy work environments
 - Replaceable 4400 mAh battery
 - Programmable side key (e.g. for PoC/PTT)
- Programmable red key (e.g. for lone worker protection/SOS)

Technical Features

| Operating system | Android™ 14 |
|---------------------|---|
| Processor | Qualcomm [®] QCM6490 Octa Core |
| Memory | 8 GB RAM 128 GB internal memory microSD to 128 GB |
| Frequencies | 2G GSM 850/900/1800/1900 MHz 3G WCDMA B1/2/4/5/8 4G LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B12 MFBI/B13/B14/B17/B20/B25/B26/B28/B29/B30/B66/B71 4G LTE-TDD: B38/B39/B40/B41/B42/B43/B48 5G NR: n1/n2/n3/n5/n7/n8/n12/n20/n25/n28/n30/n38/n40/n41/n48/n66/n71/n77/n78/n79 |
| Dimensions | Size: 180,0 x 84,9 x 20,6 mm Weight: 422,0 g |
| Display | 6,0" (15,24 cm) Corning® Gorilla® Glass V3 usable with gloves |
| Battery | 4400 mAh, 3,7 V replaceable |
| Camera | 48 MP AF rear 5 MP FF front |
| Connectivity | Wi-Fi [®] 6: IEEE 802.11 a/b/g/n/ac/e/k/r/ax/v with hotspot Bluetooth [®] 5.2 GPS, A-GPS, Glonass, Beidou, Galileo Near Field Communication |
| Types of protection | IP68 dust-/waterproof MIL-STD 810H Usable from -20 °C to +55 °C |
| | Expand |
| | Certifications |





IECEx Mining (International) approved Ex ia I Ma Ex ib IIC T4 Gb Ex ib IIIC T135°C Db

What's in the box

- Smartphone
 - Battery
- i.safe PROTECTOR 2.0
- Power Adapter universal
 - Screwdriver
- Display Protection Foil
 - Safety Instructions
 - Quick Start Manual

Downloads

Datasheet IS540.M1

Datasheet IS-HS2A.1

Operating Manual IS540.M1

Safety Instructions IS540.M1

Operating Manual/Safety Instructions IS-DC540.1

IECEx IS540.M1

ANZEx IS540.M1

This product is suitable for operation with PoC communication via public or campus networks (4G or 5G) or Wi-Fi® in Ex-Zones as per IEC Ex Rating on the devices

YOU MAY ALSO LIKE...





BARTEC SP9EX1 Smartphone <u>Pixavi Cam -</u> Intrinsically Safe <u>Camera - Silver</u> <u>Bundle</u>