ISAFE MOBILE TABLET ZONE 1/21 IS930.1



\$6,347.00 GST included

SKU: 01-00930001-001-002 | Categories: Intrinsically Safe, Tablet |



GALLERY IMAGES



PRODUCT DESCRIPTION

The robust and powerful tablet of the Industry 4.0 generation is Android™ Enterprise Recommended and, thanks to its zero-touch functionality, can be used quickly and is ideally suited for maintenance applications in the IoT environment. The 8-inch display, two freely programmable buttons, a long-life battery, a practical hand strap and a separate leather bag with a shoulder/belt or carry strap system are further highlights.

Advantages

- Android™ 13
- Ideal for IoT maintenance applications
 - Android Enterprise Recommended
 - Zero-touch capable
- High-performance device, ideal for Industry 4.0 applications
- Easy to use and easy to carry and hold thanks to the hand strap
 - Individually programmable keys

• Display can be operated with gloves

Technical Features

Operating system Android[™] 13

Processor Qualcomm® Snapdragon SDM660 Octa Core

4 GB RAM

Memory 64 GB internal memory

microSD to 512 GB

2G GSM 850/900/1800/1900 MHz

3G WCDMA B1/2/4/5/8

4G LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B12
Frequencies

MFBI/B13/B14/B17/B20/B25/B26/B28A/B28B/B29/B30/B66

4G LTE-TDD: B38/B39/B40/B41

4G LTE-TD: B34/B39

Dimensions Size: 237 x 156 x 22 mm

Weight: 890 g

Display 8,0" (20,32 cm)

usable with gloves

Battery 8160 mAh, 3,7 V

Camera 13 MP AF rear

5 MP FF front

Wi-Fi® 2.4 GHz + Wi-Fi® 5.0 GHz: IEEE 802.11 a/b/g/n/ac/e/k/r/h with hotspot

Bluetooth® 5

Connectivity

GPS, A-GPS, Glonass, Beidou

Near Field Communication

Types of IP68 dust-/waterproof

MIL-STD 810H

protection Usable from -20 °C to +60 °C

Expand

Certifications



ATEX Mining (Europe) approved
II 2G Ex ib IIC T4 Gb
II 2D Ex ib IIIC T135°C Db IP6X



IECEx Mining (International) approved
Ex ib IIC T4 Gb
Ex ib IIIC T135°C Db IP6X

What's in the box

- Tablet with integrated battery
 - Hand Strap
 - Power Adapter universal
 - Earphone
 - i.safe PROTECTOR 2.0
 - i.safe PROTECTOR 3.0
 - Display Protection Foil
 - Safety Instructions
 - Quick Start Manual

Downloads

Datasheet IS930.1

Operating Manual IS930.1

Quick Start Manual IS930.1

Safety Instructions IS930.1

IECEx IS930.1

ATEX IS930.1

| 1 | | |
|---|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| This product is suitable for operation with PoC communication via public or campus networks (4G or 5G) of | or |
|---|----|
| Wi-Fi® in Ex-Zones as per IEC Ex Rating on the devices | |

IS930.1 & IS930.M1 How to insert and remove a SIM card to both the IS930.1 & IS930.M1

YOU MAY ALSO LIKE...







Pixavi Cam -Intrinsically Safe Camera - Silver Bundle