

ISAFE MOBILE TABLET ZONE 1/21 IS930.1




\$6,347.00 GST included

SKU: 01-00930001-001-002 | **Categories:** [Intrinsically Safe](#), [Tablet](#) |



GALLERY IMAGES



PRODUCT DESCRIPTION

The robust and powerful tablet of the Industry 4.0 generation is Android™ Enterprise Recommended and, thanks to its zero-touch functionality, can be used quickly and is ideally suited for maintenance applications in the IoT environment. The 8-inch display, two freely programmable buttons, a long-life battery, a practical hand strap and a separate leather bag with a shoulder/belt or carry strap system are further highlights.

Advantages

- Android™ 13
- Ideal for IoT maintenance applications
 - Android Enterprise Recommended
 - Zero-touch capable
- High-performance device, ideal for Industry 4.0 applications
- Easy to use and easy to carry and hold thanks to the hand strap
 - Individually programmable keys
 - Display can be operated with gloves

Technical Features

Operating system

Android™ 13

Processor	Qualcomm® Snapdragon SDM660 Octa Core
Memory	4 GB RAM 64 GB internal memory microSD to 512 GB
Frequencies	2G GSM 850/900/1800/1900 MHz 3G WCDMA B1/2/4/5/8 4G LTE-FDD: B1/B2/B3/B4/B5/B7/B8/B12 MFBI/B13/B14/B17/B20/B25/B26/B28A/B28B/B29/B30/B66 4G LTE-TDD: B38/B39/B40/B41 4G LTE-TD: B34/B39
Dimensions	Size: 237 x 156 x 22 mm Weight: 890 g
Display	8,0" (20,32 cm) usable with gloves
Battery	8160 mAh, 3,7 V
Camera	13 MP AF rear 5 MP FF front
Connectivity	Wi-Fi® 2.4 GHz + Wi-Fi® 5.0 GHz: IEEE 802.11 a/b/g/n/ac/e/k/r/h with hotspot Bluetooth® 5 GPS, A-GPS, Glonass, Beidou Near Field Communication
Types of protection	IP68 dust-/waterproof MIL-STD 810H Usable from -20 °C to +60 °C Expand

Certifications



ATEX Mining (Europe) approved
II 2G Ex ib IIC T4 Gb
II 2D Ex ib IIIC T135°C Db IP6X



IECEX Mining (International) approved
Ex ib IIC T4 Gb
Ex ib IIIC T135°C Db IP6X

What's in the box

- Tablet with integrated battery
 - Hand Strap
- Power Adapter universal
 - Earphone
- i.safe PROTECTOR 2.0
- i.safe PROTECTOR 3.0
- Display Protection Foil
 - Safety Instructions
 - Quick Start Manual

Downloads

[Datasheet IS930.1](#)

[Operating Manual IS930.1](#)

[Quick Start Manual IS930.1](#)

[Safety Instructions IS930.1](#)

[IECEX IS930.1](#)

[ATEX IS930.1](#)

This product is suitable for operation with PoC communication via public or campus networks (4G or 5G) or Wi-Fi® in Ex-Zones as per IEC Ex Rating on the devices

IS930.1 & IS930.M1 How to insert and remove a SIM card to both the IS930.1 & IS930.M1

YOU MAY ALSO LIKE...



**[BARTEC SP9EX1
Smartphone](#)**



**[Pixavi Cam -
Intrinsically Safe
Camera - Silver
Bundle](#)**